

## Selected Bibliography and References

---

### Ticks and Tick Ecology

- Anderson, J. F., and L. A. Magnarelli. 1999. Enzootiology of *Borrelia burgdorferi* in the northeastern and northcentral United States, pp. 385-389. In G. R. Needham, R. Mitchell, D. J. Horn and W. C. Welborne [eds.], Acarology IX: Volume 2, Symposia. Ohio Biological Survey, Columbus.
- Anderson, J. F. 1988. Mammalian and avian reservoirs for *Borrelia burgdorferi* [Review]. Ann. N.Y. Acad. Sci. 539: 180-191.
- Balashov, Y. S. 1972. Bloodsucking ticks (Ixodoidea): Vectors of diseases of man and animals. Misc. Pub. Entomol Soc. Am. 8: 159-376.
- Battaly, G. R., and D. Fish. 1993. Relative importance of bird species as hosts for immature *Ixodes dammini* (Acari: Ixodidae) in a suburban residential landscape of southern New York state. J. Med. Entomol. 30: 740-747.
- Durden, Lance A. and James E. Keirans. 1996. Nymphs of the Genus *Ixodes* (Acari: Ixodidae) of the United States: Taxonomy, Identification Key, Distribution, Hosts, and Medical/Veterinary Importance. Entomological Society of America, Lanham, MD. 95 pp.
- Donahue, J. G., J. Piesman, and A. Spielman. 1987. Reservoir competence of white-footed mice for Lyme disease spirochetes. Am. J. Trop. Med. Hyg. 36: 92-96.
- Drummond, Roger. 1998. Ticks and What You Can Do About Them, 2<sup>nd</sup> ed. Wilderness Press. 74 pp.
- Ginsberg, Howard S. 1993. Ecology and Environmental Management of Lyme Disease. Rutgers University Press. 224 pp.
- IJdo, J. W., C. Wu, L. A. Magnarelli, K. C. S. III, J. F. Anderson, and E. Fikrig. 2000. Detection of *Ehrlichia chaffeensis* DNA in *Amblyomma americanum* ticks in Connecticut and Rhode Island. J. Clin. Microbiol. 38: 4655-4656.
- IJdo, J. W., J. I. Meek, M. L. Cartter, L. A. Magnarelli, C. Wu, S. W. Tenuta, E. Fikrig, and R. W. Ryder. 2000. The emergence of another tickborne infection in the 12-town area around Lyme, Connecticut. J. Infect. Dis. 181: 1388-1393.
- Keirans, J. E., and L. Durden. 2001. Invasion: Exotic ticks (Acari: Ixodidae) imported into the United States. A review and new records. J. Med. Entomol. 38: 850-861.
- Keirans, James E. and Taina R. Litwak. 1989. Pictorial Key to the Adults of Hard Ticks, Family Ixodidae (Ixodoidea), East of the Mississippi. Journal of Medical Entomology. 16(5): pp 435-448.
- Keirans, James E. and Lance E. Durden. 1998. Illustrated Key to Nymphs of the Tick Genus *Amblyomma* (Acari: Ixodidae) Found in the United States. Journal of Medical Entomology. 35(4): pp. 489-495.
- Lane, R. S., J. Piesman, and W. Burgdorfer. 1991. Lyme borreliosis: Relation of its causative agent to its vectors and host in North America and Europe. Ann. Rev. Entomol. 36: 587-609.
- LoGiudice, K., R. S. Ostfeld, K. A. Schmidt, and F. Keesing. 2003. The ecology of infectious disease: Effects of host diversity and community composition on Lyme disease risk. Proc. Nat. Acad. Sci (USA).
- Mather, T. N., M. L. Wilson, S. I. Moore, J. M. C. Ribeiro, and A. Spielman. 1989. Comparing the relative potential of rodents as reservoirs of the Lyme disease spirochete (*Borrelia burgdorferi*). Am. J. Epidemiol. 130: 143-150.
- Mather, T. N., S. R. Telford III, A. B. MacLachlan, and A. Spielman. 1989. Incompetence of catbirds as reservoirs for the Lyme disease spirochete (*Borrelia burgdorferi*). J. Parasitol. 75: 66-69.
- McDaniel, Burruss. 1979. How to Know the Mites and Ticks. Wm. C. Brown Company Publishers. Dubuque, Iowa. 335 pp. (Out-of-Print)
- Oliver Jr., J. H., M. R. Owsley, H. J. Hutcheson, A. M. James, C. Chen, W. S. Irby, E. M. Dotson, and D. K. McLain. 1993. Conspecificity of the ticks *Ixodes scapularis* and *I. dammini* (Acari: Ixodidae). J. Med. Entomol. 30: 54-63.
- Sonenshine, Daniel E. 1991. Biology of Ticks, Volume 1. Oxford University Press. Oxford. 447 pp.
- Sonenshine, Daniel E. 1993. Biology of Ticks, Volume 2. Oxford University Press. Oxford. 465 pp.
- Smith, Carroll N., Moses M. Cole, and Harry K Gouck. Biology and Control of the American Dog Tick. USDA Technical Bull. No. 905, January 1946.
- Smith, R. P., Jr., E. H. Lacombe, R. W. Rand, and R. Dearborn. 1992. Diversity of tick species biting humans in an emerging area for Lyme disease. Am. J. Public Hlth. 82: 66-69.
- Stafford III, K. C., R. F. Massung, L. A. Magnarelli, J. W. IJdo, and J. F. Anderson. 1999. Infection with agents of human granulocytic ehrlichiosis, Lyme disease, and babesiosis in wild white-footed mice (*Peromyscus leucopus*) in Connecticut. J. Clin. Microbiol. 37: 2887-2892.

- StaffordIII, K. C., V. C. Bladen, and L. A. Magnarelli. 1995. Ticks (Acari: Ixodidae) infesting wild birds (Aves) and white-footed mice in Lyme, CT. *J. Med. Entomol.* 32: 453-466.
- Stafford III, K. C. 1994. Survival of immature *Ixodes scapularis* (Acari: Ixodidae) at different relative humidities. *J. Med. Entomol.* 31: 310-314.
- Stafford III, K. C. 1993. The epizootiology of Lyme disease. *Northeast Wildlife* 50: 181-189.
- Strickland, R.K., R.R. Gerrish, J.L. Hourigan, and G.O. Schubert. 1976. Ticks of Veterinary Importance. USDA, HPHIS, Agric. Handb. No. 485.
- Telford III, S. R., T. N. Mather, G. H. Adler, and A. Spielman. 1990. Short-tailed shrews as reservoirs of the agents of Lyme disease and human babesiosis. *J. Parasitol.* 76: 681-683.
- Telford III, S. R., T. N. Mather, S. I. Moore, M. L. Wilson, and A. Spielman. 1988. Incompetence of deer as reservoirs of the Lyme disease spirochete. *Am. J. Trop. Med. Hyg.* 39: 105-109.
- Yuval, B., and A. Spielman. 1990. Duration and regulation of the developmental cycle of *Ixodes dammini* (Acari: Ixodidae). *J. Med. Entomol.* 27: 196-201.

### Tick-Associated Diseases

- Anderson, J. F., and L. A. Magnarelli. 1994. Lyme disease: A tick-associated disease originally described in Europe, but named after a town in Connecticut. *Am. Entomol.* 40: 217-227.
- Bakken, J. S., J. S. Dumler, S. Chen, M. R. Eckman, L. L. V. Etta, and D. H. Walker. 1994. Human granulocytic ehrlichiosis in the upper midwest United States: A new species emerging? *J. Am. Med. Assoc.* 272: 212-218.
- Benach, Jorge L. and Edward M. Bosler, eds. 1988. Lyme Disease and Related Disorders. Annals of the New York Academy of Sciences. Volume 539.
- Barbour, Alan G. 1996. Lyme Disease: The Cause, the Cure, the Controversy. The John Hopkins University Press. 258 pp.
- Barbour, A. G., and D. Fish. 1993. The biological and social phenomenon of Lyme disease. *Science* (Washington, D.C.) 260: 1610-1616.
- Breitschwerdt, E. B., and D. L. Kordick. 2000. Bartonella infection in animals: Carriership, reservoir potential, pathogenicity, and zoonotic potential for human infection. *Clin. Microbiol. Rev.* 13: 428-438.
- Dumler, J. S., and J. S. Bakken. 1995. Ehrlichial disease of humans: emerging tick-borne infections. *Clin. Infect. Dis.* 20: 1102-1110.
- Edlow, J. A. 2003. Bull's Eye: Unraveling the medical mystery of Lyme disease. Yale University Press, New Haven.
- Eskow, E., R. V. Rao, and E. Mordechai. 2001. Concurrent infection of the central nervous system by *Borrelia burgdorferi* and *Bartonella henselae*: evidence for a novel tick-borne disease complex. *Arch. Neurol.* 58: 1357-1367.
- Centers for Disease Control and Prevention. 2004. Lyme disease – United States, 2001-2002. *MMWR* 53:365-369
- Centers for Disease Control and Prevention. 2002. Lyme disease - United States, 2000. *MMWR* 51: 29-31.
- Centers for Disease Control and Prevention. 2001. Outbreak of powassan encephalitis - Maine and Vermont, 1999-2001. *MMWR* 50: 761-764.
- Centers for Disease Control and Prevention. 2002. Tularemia - United States, 1990-2000. *MMWR* 51: 181-184.
- Centers for Disease Control and Prevention. 1995. Recommendations for test performance and interpretation form the second national conference on serologic diagnosis of Lyme disease. *MMWR* 44: 590-591.
- Chang, Y. F., M. J. Appel, R. H. Jacobson, S. J. Shin, P. Harpending, R. Straubinger, L. A. Patrican, H. Mohammed, and B. A. Summers. 1995. Recombinant OspA protects dogs against infection and disease caused by *Borrelia burgdorferi*. *Infect. Immun.* 63: 3543-3549.
- Dennis, D. T., and E. B. Hayes. 2002. Epidemiology of Lyme Borreliosis, pp. 251-280. In J. S. Gray, O. Kahl, R. S. Lane and G. Stanek [eds.], *Lyme Borreliosis: Biology, Epidemiology and Control*. CABI Publishing, Wallingford, Oxon, UK.
- Ebel, G. D., A. Spielman, and S. R. Telford III. 2001. Phylogeny of North American Powassan virus. *J. Gen. Virol.* 82: 1657-1665.
- Gerber, M. A., E. D. Shapiro, G. S. Burke, V. J. Parcells, and G. L. Bell. 1996. Lyme disease in children in southeastern Connecticut. *New Eng. J. Med.* 335: 1270-1274.
- Gholam, B. I., S. Puksa, and J. P. Provia. 1999. Powassan encephalitis: a case report with neuropathology and literature review. *Can. Med. Assoc. J.* 161: 1419-1422.
- Gray, Jeremy, Olaf Kahl, Robert S. Lane, and Gerold Stanek. 2002. *Lyme Borreliosis: Biology, Epidemiology, and Control*. CABI Publishing, Oxon, UK. 347 pp.
- Herwaldt, B. L., P. C. McGovern, M. P. Gerwel, R. M. Easton, and R. R. MacGregor. 2003. Endemic babesiosis in another eastern state: New Jersey. *Emerg. Infect. Dis.* 9: 184-188.

- Hu, R., and K. E. Hyland. 1997. Human babesiosis in the United States: a review with emphasis on its tick vector. *Syst. Appl. Acarol.* 2: 3-16.
- Kjemtrup, A. M., and P. A. Conrad. 2000. Human babesiosis: an emerging tick-borne disease. *Int. J. Parasitol.* 30: 1323-1337.
- Klempner, M. S., L. T. Hu, J. Evans, C. H. Schmid, G. M. Johnson, R. P. Trevino, D. Norton, L. Levy, D. Wall, J. McCall, M. Kosinski, and A. Weinstein. 2001. Two controlled trials of antibiotic treatment in patients with persistent symptoms and a history of Lyme disease. *N. Engl. J. Med.* 345: 85-92.
- Krause, P. J. 2002. Babesiosis. *Med. Clin. North Am.* 86: 361-373.
- Krause, P. and H. M. Feder, Jr. 1994. Lyme disease and babesiosis. *Adv. Pediatric Infect. Dis.* 9: 183-209.
- Krause, P. J., K. McKay, C. A. Thompson, V. K. Sikand, R. Lentz, T. Lepore, L. Closter, D. Christianson, S. R. Telford III, D. A. Persing, J. D. Radolf, and A. Spielman. 2002. Disease-specific diagnosis of coinfecting tickborne zoonoses: babesiosis, human granulocytic ehrlichiosis, and Lyme disease. *Clin. Infect. Dis.* 34: 1184-1191.
- Krause, P. J., T. Lepore, V. K. Sikand, J. Gadbow, G. Burke, S. R. Telford III, P. Brassard, D. Pearl, J. Azlazadeh, D. Christianson, D. McGrath, and A. Spielman. 2000. Atovaquone and azithromycin for the treatment of babesiosis. *N. Engl. J. Med.* 343: 1454-1458.
- Krause, P. J., S. R. Telford III, A. Spielman, V. Sikand, R. Ryan, D. Christianson, G. Burke, P. Brassard, R. Pollack, J. Peck, and D. H. Persing. 1996. Concurrent Lyme disease and babesiosis: Evidence for increased severity and duration of illness. *J. Am. Med. Assoc.* 275: 1657-1660.
- Levy, S. A., S. W. Barthold, D. M. Dombach, and T. L. Wasmoen. 1993. Canine Lyme borreliosis. *Comendium (Small Animal)* 15: 833-846.
- Magnarelli, L. A., J. W. IJdo, J. F. Anderson, S. J. Padula, R. A. Flavell, and E. Fikrig. 1998. Human exposure to a granulocytic Ehrlichia and other tick-borne agents in Connecticut. *J. Clin. Microbiol.* 36: 2823-2827.
- Magnarelli, L. A., J. S. Dumler, J. F. Anderson, R. C. Johnson, and E. Fikrig. 1995. Coexistence of antibodies to tick-borne pathogens of babesiosis, ehrlichiosis, and Lyme disease in human sera. *J. Clin. Microbiol.* 33: 3054-3057.
- Meek, J. I., C. L. Roberts, J. E. V. Smith, and M. L. Cartter. 1996. Underreporting of Lyme disease by Connecticut physicians, 1992. *J. Pub. Hlth. Man.* 2: 61-65.
- Murray, Polly. 1996. The Widening Circle: A Lyme Disease Pioneer Tells Her Story. St. Martin's Press. 321 pp.
- Piesman, J., and A. Spielman. 1980. Human babesiosis on Nantucket Island prevalence of *Babesia microti* in ticks. *Am. Soc. Trop. Med. Hyg.* 29: 742-746.
- Rahn, D. W., and M. W. Felz. 1998. Lyme disease update. Current approach to early, disseminated, and late disease. *Postgrad. Med.* 103: 51-54, 57-59, 63-64.
- Rahn, Daniel W. and Janine Evans, eds. 1998. Lyme Disease. American College of Physicians. Philadelphia, PA. 245 pp. + color plates.
- Schoen, R. T. 1989. Treatment of Lyme disease. *Connecticut Medicine* 53: 335-337.
- Scoles, G. A., M. Papero, L. Beati, and D. Fish. 2001. A relapsing fever group spirochete transmitted by *Ixodes scapularis* ticks. *Vector Borne Zoonotic Dis.* 1: 21-34.
- Sigal, L. H. [ed.] 1995. A symposium: National clinical conference on Lyme disease. *Am. J. Med.* 98 (suppl 4A): 1S-90S.
- Sonenshine, Daniel E. and Thomas N. Mather. Eds. 1994. Ecological Dynamics of Tick-Borne Zoonoses. Oxford University Press. Oxford. 447 pp.
- Stafford, K. C., III, M. L. Cartter, L. A. Magnarelli, S. Ertel, and P. A. Mshar. 1998. Temporal correlations between tick abundance and prevalence of ticks infested with *Borrelia burgdorferi* and increasing incidence of Lyme disease. *J. Clin. Microbiol.* 36: 1240-1244.
- Steere, A. C. 2003. Duration of antibiotic therapy for Lyme disease [editorial]. *Ann. Intern. Med.* 138: 761-762.
- Steere, A. C. 2001. Lyme disease. *N. Engl. J. Med.* 345: 115-125.
- Steere, A. C., S. E. Malawista, D. R. Snydman, R. E. Shope, W. A. Andiman, M. R. Ross, and F. M. Steele. 1977. Lyme arthritis: an epidemic of oligoarticular arthritis in children and adults in three Connecticut communities. *Arth. and Rheum.* 20: 7-17.
- Straubinger, R. K., B. A. Summers, Y. F. Chang, and M. J. Appel. 1997. Persistence of *Borrelia burgdorferi* in experimentally infected dogs after antibiotic treatment. *J. Clin. Microbiol.* 35: 111-116.
- Telford, S. R., P. M. Armstrong, P. Katavolos, I. Foppa, G. A. S., M. L. Wilson, and A. Spielman. 1997. A new tick-borne encephalitis-like virus infecting New England deer ticks, *Ixodes dammini*. *Emerging Infect. Dis.* 3: 165-170.
- Treadwell, T. A., R. C. Holman, M. J. Clarke, J. W. Krebs, C. D. Paddock, and J. E. Childs. 2001. Rocky mountain spotted fever in the United States, 1993-1996. *Am. J. Trop. Med. Hyg.* 63: 21-26.

- Trock, D. H., J. E. Craft, and D. W. Rahn. 1989. Clinical manifestations of Lyme disease in the United States. *Connecticut Medicine* 53: 327-330.
- Vanderhoof-Forschner, Karen. 1997. *Everything You Need to Know About Lyme Disease and Other Tick-Borne Disorders*. John Wiley & Sons, Inc. New York. 237 pp.
- Varela, A. S., M. P. Luttrell, E. W. Howerth, V. A. Moore, W. R. Davidson, D. E. Stallknecht, S. E. Little. 2004. First culture isolation of *Borrelia lonestari*, putative agent of southern tick-associated rash illness. *J. Clin. Microbiol.* 42:1163-1169.
- Walker, D. H., and J. S. Dumler. 1996. Emergence of ehrlichioses as human health problems. *Emerging Infect. Dis.* 2: 18-29.
- Wormser, G. P., R. Ramanathan, J. Nowakowski, D. McKenna, D. Holmgren, P. Visintainer, R. Dornbush, B. Singh, and R. B. Nadelman. 2003. Duration of antibiotic therapy for early Lyme disease: A randomized, double-blind, placebo-controlled trial. *Ann. Intern. Med.* 138: 697-704.
- Wormser, G. P., R. B. Nadelman, R. J. Dattwyler, D. T. Dennis, E. D. Shapiro, A. C. Steere, T. J. Rush, D. W. Rahn, P. K. Coyle, D. A. Persing, D. Fish, and B. J. Luft. 2000. Practice guidelines for the treatment of Lyme disease. *Clin. Infect. Dis.* 31: S1-S14.

## Personal Protection, Repellents, Risk and Transmission

- Carter, M. L., T. A. Farley, H. A. Ardito, and J. L. Hadler. 1989. Lyme disease prevention - knowledge, beliefs, and behaviors among high school students in an endemic area. *Connecticut Medicine* 53: 354-356.
- Consumers Union. 2000. Buzz Off! Consumer Reports June: 14-17.
- Costello, C. M., A. C. Steere, R. E. Pinkerton, and J. H. M. Feder. 1989. A prospective study of tick bites in an endemic area for Lyme disease. *J. Infect. Dis.* 159: 136-139.
- Couch, P., and C. E. Johnson. 1992. Prevention of Lyme disease. *Am. J. Hosp. Pharm.* 49: 1164-1173.
- des Vignes, F., J. Piesman, R. Heffernan, T. L. Schulze, K. C. Stafford III, and D. Fish. 2001. Effect of tick removal on transmission of *Borrelia burgdorferi* and *Ehrlichia phagocytophila* by *Ixodes scapularis* nymphs. *J. Infect. Dis.* 183: 773-778.
- Falco, R. C. 1996. Duration of tick bites in a Lyme disease-endemic area. *Am. J. Epidemiol.* 143: 187-192.
- Falco, R. C., and D. Fish. 1989. Potential for exposure to tick bites in recreational parks in a Lyme disease endemic area. *Amer. J. Public Health.* 79: 12-15.
- Fradin, M. S., and J. F. Day. 2002. Comparative efficacy of insect repellents against mosquito bites. *JAMA* 347: 13-18.
- Levin, M. L., and D. Fish. 2000. Acquisition of coinfection and simultaneous transmission of *Borrelia burgdorferi* and *Ehrlichia phagocytophila* by *Ixodes scapularis*. *Infect. Immun.* 68: 2183-2186.
- Medical Letter Advisory Board. 1985. Insect repellents. *Med. Lett. Drugs-Ther.* 27: 62-64.
- Nadelman, R. B., J. Nowakowski, D. Fish, R. C. Falco, K. Freeman, D. McKenna, P. Welch, R. Marcus, M. E. Aguero-Rosenfeld, D. T. Dennis, and G. P. Wormser. 2001. Prophylaxis with single-dose doxycycline for the prevention of Lyme disease after an *Ixodes scapularis* tick bite. *N. Engl. J. Med.* 345: 79-84.
- Osimitz, T. G., and R. H. Grothaus. 1995. The present safety assessment of deet. *J. Am. Mosquito Cont. Assoc.* 11: 274-278.
- Piesman, J., and E. B. Hayes. 2003. How can we prevent Lyme disease? *N. Engl. J. Med.* 348: 2424-2430.
- Piesman, J. 2002. Ecology of *Borrelia burgdorferi* sensu lato in North America, pp. 223-250. In J. S. Gray, O. Kahl, R. S. Lane and G. Stanek [eds.], *Lyme Borrellosis: Biology, Epidemiology and Control*. CABI Publishing, Wallingford, Oxon, UK.
- Piesman, J., and M. C. Dolan. 2002. Protection against Lyme disease spirochete transmission provided by prompt removal of nymphal *Ixodes scapularis* (Acar: Ixodidae). *J. Med. Entomol.* 39: 509-512.
- Piesman, J., B. S. Schneider, and N. S. Zeidner. 2001. Use of quantitative PCR to measure density of *Borrelia burgdorferi* in the midgut and salivary glands of feeding tick vectors. *J. Clin. Microbiol.* 39: 4145-4148.
- Piesman, J., T. N. Mather, R. J. Sinsky, and A. Spielman. 1987. Duration of tick attachment and *Borrelia burgdorferi* transmission. *J. Clin. Microbiol.* 25: 557-558.
- Schreck, C. E., D. Fish, and T. P. McGovern. 1995. Activity of repellents applied to skin for protection against *Amblyomma americanum* and *Ixodes scapularis* ticks (Acar: Ixodidae). *J. Am. Mosq. Cont. Assoc.* 11: 136-140.
- Schreck, C. E., E. L. Snoddy, and A. Spielman. 1986. Pressurized sprays of permethrin or deet on military clothing for personal protection against *Ixodes dammini* (Acar: Ixodidae). *J. Med. Entomol.* 23: 396-399.
- Shadick, N. A., L. H. Daltroy, C. B. Phillips, U. S. Lang, and M. H. Lang. 1997. Determinants of tick-avoidance behaviors in an endemic area for Lyme disease. *Am. J. Prev. Med.* 13: 265-270.
- Shapiro, E. D., M. A. Gerber, N. B. Holabird, A. T. Berg, H. M. Feder, G. L. Bell, P. N. Rys, and D. H. Persing. 1992. A controlled trial of antimicrobial prophylaxis for Lyme disease after deer-tick bites. *N. Engl. J. Med.* 327: 1769-1773.

Sood, S. K., M. B. Salzman, B. J. Johnson, C. M. Happ, K. Feig, L. Carmondy, L. G. Rubin, E. Hilton, and J. Piesman. 1997. Duration of tick attachment as a predictor of the risk of Lyme disease in an area in which Lyme disease is endemic. *J. Infect. Dis.* 175: 996-999.

Warshafsky, S., J. Nowakowski, R. B. Nadelman, R. S. Kamer, S. J. Peterson, and G. P. Wormser. 1996. Efficacy of antibiotic prophylaxis for prevention of Lyme disease: a meta-analysis. *J. Gen. Intern. Med.* 11: 329-333.

## Tick Distribution, Landscape and Host Management

- Adler Jr., Bill. 1999. Outwitting Deer. The Lyons Press, New York, New York. 177 pp.
- Anderson, J. F., R. C. Johnson, L. A. Magnarelli, F. W. Hyde, and J. E. Myers. 1987. Prevalence of *Borrelia burgdorferi* and *Babesia microti* in mice on islands inhabited by whitetailed deer. *Appl. Environ. Microbiol.* 53: 892-894.
- Borman, F. H., D. Balmori, and G. T. Geballe. 2001. Redesigning the American Lawn: A Search for Environmental Harmony. 2<sup>nd</sup> edition. Yale University Press. 178 pp.
- Carroll, M. C., H. S. Ginsberg, K. E. Hyland, and R. Hu. 1992. Distribution of *Ixodes dammini* (Acari: Ixodidae) in residential lawns on Prudence Island, Rhode Island. *J. Med. Entomol.* 29: 1052-1055.
- Daniels, T. J., D. Fish, and I. Schwartz. 1993. Reduced abundance of *Ixodes scapularis* (Acari: Ixodidae) and Lyme disease risk by deer exclusion. *J. Med. Entomol.* 30: 1043-1049.
- Deblinger, R. D., M. L. Wilson, D. W. Rimmer, and A. Spielman. 1993. Reduced abundance of immature *Ixodes dammini* (Acari: Ixodidae) following incremental removal of deer. *J. Med. Entomol.* 30: 144-150.
- DeNicola, Anthony J., Kurt C. VerCauteren, Paul D. Curtis, and Scott E. Hygnstrom. 2000. Managing White-tailed Deer in Suburban Environments: A Technical Guide. Cornell Cooperative Extension, the Wildlife Society, and Northeast Wildlife Damage Research and Outreach Cooperative. 52 pp.
- Ellingwood, Mark R. and Suzanne L Caturano. 1988. An Evaluation of Deer Management Options. Publication No. DR-11. CT Department of Environmental Protection. 16 pp. (revised and reformatted, NH Fish & Game Dept., 1996).
- Falco, R. C., and D. Fish. 1988. Prevalence of *Ixodes dammini* near the homes of Lyme disease patients in Westchester County, New York. *Am. J. Epidemiol.* 127: 826-830.
- Hart, Rhonda Massingham. 1997. Deer Proofing Your Yard & Garden. Storey Books. Pownal, Vermont. 155 pp.
- Hygnstrom, Scott E., Robert M. Timm, and Gary E. Larson, eds. 1994. Prevention and Control of Wildlife Damage. University of Nebraska Cooperative Extension, USDA-APHIS-Wildlife Services, and Great Plains Agricultural Council Wildlife Committee.
- Levy, S. A., B. A. Lissman, and C. M. Ficke. 1993. Performance of a *Borrelia burgdorferi* bacterin in borreliosis-endemic areas. *J. Am. Vet. Med. Assoc.* 202: 1834-1838.
- Lewis, A. 1997. Butterfly Gardens: Luring Nature's Lovelist Pollinators to Your Yard. Brooklyn Botanic Garden, Inc., Brooklyn, NY.
- Maupin, G. O., D. Fish, J. Zultowsky, E. G. Campos, and J. Piesman. 1991. Landscape ecology of Lyme disease in a residential area of Westchester County, New York. *Am. J. Epidemiol.* 133: 1105-1113.
- McDonald Jr., John E., Mark R. Ellingwood, and Gary M. Vecellio. 1998. Case Studies in Controlled Deer Hunting. Northeast Deer Technical Committee. 16 p. Available from your state wildlife management agency.
- Solberg, V. B., J. A. Miller, T. Hadfield, R. Burge, J. M. Schech, and J. M. Pound. 2003. Control of *Ixodes scapularis* (Acari: Ixodidae) with topical self-application of permethrin by white-tailed deer inhabiting NASA, Beltsville, Maryland. *J. Vector. Ecol.* 28: 117-134.
- Stafford III, K. C. 2001. An increasing deer population is linked to the rising incidence of Lyme disease. *Frontiers Plant Sci.* 53: 3-4.
- Stafford III, K. C. 1993. Reduced abundance of *Ixodes scapularis* (Acari: Ixodidae) with exclusion of deer by electric fencing. *J. Med. Entomol.* 30: 986-996.
- Stafford, K. C., III, and L. A. Magnarelli. 1993. Spatial and temporal patterns of *Ixodes scapularis* (Acari: Ixodidae) in southcentral Connecticut. *J. Med. Entomol.* 30: 762-771.
- Tekulski, M. 1985. The Butterfly Garden. The Harvard Common Press, Harvard, MA.
- Ward, J.S. Limiting Deer Browse Damage to Landscape Plants. Connecticut Agricultural Experiment Station Bulletin 968, November 2000.
- Wilson, M. L., S. R. Telford III, J. Piesman, and A. Spielman. 1988. Reduced abundance of immature *Ixodes dammini* (Acari: Ixodidae) following elimination of deer. *J. Med. Entomol.* 25: 224-228.
- Wilson, M. L. 1986. Reduced abundance of adult *Ixodes dammini* (Acari: Ixodidae) following destruction of vegetation. *J. Econ. Entomol.* 79: 693-696.

## Tick IPM and Chemical Control

- Addiss, S. S., N. O. Alderman, D. R. Brown, and J. Wargo. 1999. A survey of private drinking water wells for lawn and tree care pesticides in a Connecticut town. Environmental & Human Health, Inc., North Haven, CT.
- Allan, S. A., and L. A. Patrigan. 1995. Reduction of immature *Ixodes scapularis* (Acari: Ixodidae) in woods by application of desiccant and insecticidal soap formulations. *J. Med. Entomol.* 32: 16-20.
- Curran, K. L., D. Fish, and J. Piesman. 1993. Reduction of nymphal *Ixodes dammini* (Acari: Ixodidae) in a residential suburban landscape by area application of insecticides. *J. Med. Entomol.* 30: 107-113.
- Deblinger, R. D., M. L. Wilson, D. W. Rimmer, and A. Spielman. 1993. Reduced abundance of immature *Ixodes dammini* (Acari: Ixodidae) following incremental removal of deer. *J. Med. Entomol.* 30: 144-150.
- Dolan, M.C., G. O. Maupin, B. S. Schneider, C. Denatale, N. Hamon, C. Cole, N. S. Zeidner, and K. C. Stafford III. 2004. Control of immature *Ixodes scapularis* (Acari: Ixodidae) on rodent reservoirs of *Borrelia burgdorferi* in a residential community of southeastern Connecticut. *J. Med. Entomol.* In Press.
- Elfassy, O. J., F. W. Goodman, S. A. Levy, and L. L. Carter. 2001. Efficacy of an amitraz-impregnated collar in preventing transmission of *Borrelia burgdorferi* by adult *Ixodes scapularis* to dogs. *J. Amer. Vet. Med. Assoc.* 219: 185-189.
- Fish, D. 1995. Environmental risk and prevention of Lyme disease. *Am. J. Med.* 98 (suppl 4A): 2S-9S.
- Hansen, Michael. 1992. Pest Control for Home and Garden: The Safest and Most Effective Methods for You and the Environment. Consumer Reports Books. Yonkers, New York. 304 pp. (out-of-print)
- Hayes, E. B., G. O. Maupin, G. A. Mount, and J. Piesman. 1999. Assessing the prevention effectiveness of local Lyme disease control. *J. Public Health Mgt. Practice* 5: 84-92.
- Kamrin, Michael A. Editor. 1997. Pesticide Profiles: Toxicity, Environmental Impact, and Fate. CRC Press. 676 pp.
- Mount, G. A., D. G. Haile, and E. Daniels. 1997. Simulation of management strategies for the blacklegged tick (Acari: Ixodidae) and the Lyme disease spirochete, *Borrelia burgdorferi*. *J. Med. Entomol.* 34: 672-683.
- Olkowski, William, Shelia Daar, Helga Olkowski. 1991. Common Sense Pest Control. The Taunton Press. 715 pp.
- Ostfeld, R. S., and D. N. Lewis. 1999. Experimental studies of interactions between wild turkeys and black-legged ticks. *J. Vector. Ecol.* 24: 182-186.
- Patrigan, L. A., and S. A. Allan. 1995. Laboratory evaluation of desiccants and insecticidal soap applied to various substrates to control the deer tick *Ixodes scapularis*. *Med. Vet. Entomol.* 9: 293-299.
- Patrigan, L. A., and S. A. Allan. 1995. Application of desiccant and insecticidal soap treatments to control *Ixodes scapularis* (Acari: Ixodidae) nymphs and adults in a hyperendemic woodland site. *J. Med. Entomol.* 32: 859-863.
- Pound, J. M., J. A. Miller, and J. E. George. 2000. Efficacy of amitraz applied to white-tailed deer by the '4-poster' topical treatment device in controlling free-living lone star ticks (Acari: Ixodidae). *J. Med. Entomol.* 37: 878-884.
- Pound, J. M., J. A. Miller, J. E. George, and C. A. LeMeilleur. 2000. The '4-Poster' passive tropical treatment device to apply acaricide for controlling ticks (Acari: Ixodidae) feeding on white-tailed deer. *J. Med. Entomol.* 37: 588-594.
- Schulze, T. L., R. A. Jordan, R. W. Hung, R. C. Taylor, D. Markowski, and M. S. Chomsky. 2001. Efficacy of granular deltamethrin against *Ixodes scapularis* and *Amblyomma americanum* (Acari: Ixodidae) nymphs. *J. Med. Entomol.* 38: 344-346.
- Schulze, T. L., R. A. Jordan, and R. W. Hung. 1995. Suppression of subadult *Ixodes scapularis* (Acari: Ixodidae) following removal of leaf litter. *J. Med. Entomol.* 32: 730-733.
- Solberg, V. B., K. Neidhardt, M. R. Sardelis, F. J. Hoffman, R. Stevenson, L. R. Boobar, and H. J. Harlan. 1992. Field evaluation of two formulations of cyfluthrin for control of *Ixodes dammini* and *Amblyomma americanum* (Acari: Ixodidae). *J. Med. Entomol.* 29: 634-638.
- Stafford, K. C., III, A. J. DeNicola, and H. J. Kilpatrick. 2003. Reduced abundance of *Ixodes scapularis* (Acari: Ixodidae) and the tick parasitoid *Ixodiphagus hookeri* (Hymenoptera: Encyrtidae) with reduction of white-tailed deer. *J. Med. Entomol.* In press.
- Stafford III, K. C. 2002. Environmental management for Lyme borreliosis, pp. 368. In J. Gray [ed.], *Lyme Borreliosis: Biology and Control*. CABI Publishing, Oxon, UK.
- Stafford III, K. C. 1997. Pesticide use by licensed applicators for the control of *Ixodes scapularis* (Acari: Ixodidae) in Connecticut. *J. Med. Entomol.* 34: 552-558.
- Stafford III, K. C. 1991. Effectiveness of carbaryl applications for the control of *Ixodes dammini* (Acari: Ixodidae) nymphs in an endemic residential area. *J. Med. Entomol.* 28: 32-36.
- Stafford III, K. C. 1989. Lyme disease prevention: Personal protection and prospects for tick control. *Conn. Med.* 53: 347-351.
- Wargo, J., N. O. Alderman, and L. Wargo. 2003. Risks from lawn-care pesticides including inadequate packaging and labeling, pp. 96. Environmental and Human Health, Inc., North Haven, CT.
- Wilson, M. L., and R. D. Deblinger. 1993. Vector management to reduce the risk of Lyme disease, pp. 126-156. In H. S. Ginsberg [ed.], *Ecology and Environmental Management of Lyme Disease*. Rutgers University Press, New Brunswick, N.J.
- Zhioua, E., M. Browning, P. W. Johnson, H. S. Ginsberg, and R. A. LeBrun. 1997. Pathogenicity of the entomopathogenic fungus *Metarrizum anisopliae* (Deuteromycetes) to *Ixodes scapularis* (Acari: Ixodidae). *J. Parasitol.* 83: 815-818.